Progressive Meshes



Based on slides by H. Hoppe

Rendering Complex Meshes



860,000 faces!

This was in 1996, no GPU!

And in 2012?

- Fast rendering is done in hardware
  - Prefer GPU processing to CPU processing
  - Discrete LOD more efficient
  - Latest GPUs can handle more than 1G polygons/sec

- So why should we care?
  - Other applications – efficient transmission
  - Mobile devices
  - Nice algorithm

Discrete Level-of-Detail



Progressive Meshes



2,000 faces 10,000 faces 50,000 faces

progressive mesh representation

linear sequence → view-independent LOD

Progressive Meshes

- Different representation of triangular meshes
- Simplify meshes through sequence of *edge collapse* transformations
- Record sequence of inverse transformations (*vertex splits*)

Simplifications: Edge Collapse





Progressive Meshes



Progressive Meshes



The PM Representation



The PM Representation

The PM Representation



Application: Continuous-Resolution LOD

- From PM, extract M^i of any desired complexity





Property: Vertex correspondence



Application: Smooth transitions

Correspondence is a surjection:





→ can form a smooth visual transition: *geomorph*

Smooth transitions

- Movie

Mesh Compression



Record deltas:

- $v_t' - v_s$
- $v_s' - v_s$
- …

Encoding of *vspl* records:

- connectivity: ~ good triangle strips
- attributes: excellent delta-encoding

Progressive Transmission

Transmit records progressively:



Receiver displays:

(progressive JPEG, MPEG-4)

Selective refinement









(e.g. view frustum)

PM Benefits



- single resolution

- progressive transmission
- continuous-resolution
- smooth LOD
- geometry compression

- Optimization process
  - various metrics (speed vs. accuracy)
  - typically performed off-line

View-Independent LOD: Difficulties



100,000 faces



View-dependent LOD



29,400 faces



different LOD's coexist over surface

Parent-child Vertex Relations



Vertex Hierarchy



Selective Refinement



Runtime algorithm



Refinement Criteria

- 3 criteria:
  - view frustum
  - surface orientation
  - screen-space geometric error

(1) View Frustum



(1) View Frustum



view is unchanged



(2) Surface Orientation



view is unchanged



(3) Screen-space Geometric Error



All Three Criteria Together



69,473 faces → 10,528 faces

1.9 frame/sec → 6.7 frame/sec

Video



Extensions: Progressive Deforming Meshes



Progressive Deforming Meshes



Progressive Deforming Meshes

Video

References

- “Progressive meshes”, H. Hoppe, Siggraph ’96
- “View-dependent refinement of progressive meshes”, H. Hoppe, Siggraph ’97
- “Progressive multiresolution meshes for deforming surfaces”, Kircher et al., SCA ‘05